



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913

www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic




DURAGRES / CAT / JULY-2020

600x600MM

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY



UNIT - IV

FULL BODY GLAZED
VITRIFIED TILES



▶ I N D E X

LUCIDO
600x600mm

04

FULL POLISH
600x600mm

04

MATT FINISH
600x600mm

09

RUSTIC FINISH
600x600mm

13

ROTTO FINISH
600x600mm

17


Tiles shown:
600x600mm

VALOR
ELIOS LIGHT
& DARK FP

LUCIDO / FULL POLISH
600x600MM COLLECTION



VALOR
COLLECTION



VALOR LUCIDO EMPERADAR V4
BRONZE, High Gloss, 600x600mm



VALOR ALBESTRO HONEY FP V4
Full Polish, 600x600mm



VALOR AMSTERDAM FP V4
Full Polish, 600x600mm



VALOR BIANCO VENEZIA FP V4
Full Polish, 600x600mm



VALOR BOTTICCHINO BOLITA FP V2
Full Polish, 600x600mm




VALOR CARICIA GREY FP V3
Full Polish, 600x600mm



VALOR DAINO BEIGE FP V4
Full Polish, 600x600mm



VALOR DAINO GOLD FP V4
Full Polish, 600x600mm



VALOR GLACIER WHITE FP V1
Full Polish, 600x600mm

FULL POLISH
600x600MM COLLECTION



SOMANY
DURAGRES



VALOR ELIOS LIGHT FP V4
Full Polish, 600x600mm



VALOR ELIOS DARK FP V4
Full Polish, 600x600mm




VALOR IMPERIAL DIANO V3
BEIGE FP, Full Polish, 600x600mm



VALOR IMPERIAL DIANO V3
GREY FP, Full Polish, 600x600mm




VALOR JURASSIC BROWN FP V3
Full Polish, 600x600mm



VALOR JURASSIC CREMA FP V3
Full Polish, 600x600mm



VALOR JURASSIC DARK GREY FP V3
Full Polish, 600x600mm



VALOR JURASSIC LIGHT GREY FP V3
Full Polish, 600x600mm



VALOR LAVIANO BROWN FP V4
Full Polish, 600x600mm

FULL POLISH
600x600MM COLLECTION



VALOR PARNORA MARFIL FP
Full Polish, 600x600mm



VALOR PRIME BOTTICHINO BROWN FP, Full Polish, 600x600mm



VALOR ROSSA GOLD FP
Full Polish, 600x600mm



VALOR SEGESTA BIANCO FP
Full Polish, 600x600mm



VALOR SEGESTA GOLD FP
Full Polish, 600x600mm



VALOR STATUARIO FP
Full Polish, 600x600mm



VALOR VENATO BEIGE FP
Full Polish, 600x600mm

MATT FINISH
600x600MM COLLECTION



VALOR CRAYON BIANCO
Matt Finish, 600x600mm



VALOR CRAYON NEGRO
Matt Finish, 600x600mm



VALOR DAINO BEIGE
Matt Finish, 600x600mm



VALOR DELMON BEIGE
Matt Finish, 600x600mm



VALOR ESCARA BEIGE
Matt Finish, 600x600mm




VALOR ESCARA GREY LIGHT
Matt Finish, 600x600mm



VALOR IMPERIAL DAINO BEIGE
Matt Finish, 600x600mm



VALOR IMPERIAL DAINO GREY
Matt Finish, 600x600mm




VALOR MONTANA GREY
Matt Finish, 600x600mm

RUSTIC FINISH


Tiles shown:
600x600mm

**VALOR
LISTON
GREY DARK**


MATT FINISH
600x600MM COLLECTION




VALOR MONTANA BIANCO V1
Matt Finish, 600x600mm




VALOR PLAZO GRAPHITE V1
Matt Finish, 600x600mm




VALOR PLAZO BIANCO V1
Matt Finish, 600x600mm



VALOR ROSETA DARK GREY V4
Matt Finish, 600x600mm



VALOR ROSETA LIGHT GREY V4
Matt Finish, 600x600mm




VALOR SOLIDO CEMENT GREY V4
Matt Finish, 600x600mm



VALOR SOLIDO NERO V4
Matt Finish, 600x600mm

RUSTIC FINISH
600x600MM COLLECTION



VALOR BETON BEIGE V4
Rustic Finish, 600x600mm



VALOR BETON BONE V4
Rustic Finish, 600x600mm



VALOR BETON COTTO V4
Rustic Finish, 600x600mm



VALOR BRITTSTONE BEIGE V4
Rustic Finish, 600x600mm



VALOR BRITTSTONE BROWN V4
Rustic Finish, 600x600mm



VALOR BRITTSTONE GREY DARK V4
Rustic Finish, 600x600mm



VALOR BRITTSTONE GREY LIGHT V4
Rustic Finish, 600x600mm





VALOR BRUCE WALNUT V1
Rustic Finish, 600x600mm








VALOR CAMARU CEDAR V4
Rustic Finish, 600x600mm

RUSTIC FINISH
600x600MM COLLECTION








VALOR ETHOS BEIGE    
Rustic Finish, 600x600mm








VALOR ETHOS COTTO    
Rustic Finish, 600x600mm







VALOR ETHOS GRAPHITO    
Rustic Finish, 600x600mm







VALOR ETHOS GREY    
Rustic Finish, 600x600mm







VALOR GIZA GRIS    
Rustic Finish, 600x600mm



VALOR GIZA RUST    
Rustic Finish, 600x600mm







VALOR HECTOR WOOD TEAK    
Rustic Finish, 600x600mm








VALOR IRIDIUM CREMA    
Rustic Finish, 600x600mm






VALOR IRIDIUM BROWN    
Rustic Finish, 600x600mm


RUSTIC FINISH
600x600MM COLLECTION



VALOR IRIDIUM GREY LIGHT    
Rustic Finish, 600x600mm







VALOR IRIDIUM GREY DARK    
Rustic Finish, 600x600mm








VALOR LISTON BEIGE    
Rustic Finish, 600x600mm






VALOR LISTON BROWN    
Rustic Finish, 600x600mm








VALOR LISTON GREY LIGHT    
Rustic Finish, 600x600mm





VALOR LISTON GREY DARK    
Rustic Finish, 600x600mm






VALOR MADERA WOOD    
Rustic Finish, 600x600mm



VALOR MORTAR CEMENT    
Rustic Finish, 600x600mm




VALOR MORTAR GRIS    
Rustic Finish, 600x600mm

RUSTIC FINISH
600x600MM COLLECTION




VALOR
COLLECTION




VALOR NEO PIZARRA BEIGE
Rustic Finish, 600x600mm




VALOR NEO PIZARRA BIANCO
Rustic Finish, 600x600mm




VALOR NEO PIZARRA BROWN
Rustic Finish, 600x600mm




VALOR NEO PORTLAND GRIS
Rustic Finish, 600x600mm



VALOR NEO PORTLAND NERO
Rustic Finish, 600x600mm



VALOR PIZARRA GOLD
Rustic Finish, 600x600mm



VALOR PIZARRA GREY
Rustic Finish, 600x600mm

ROTTTO FINISH
600x600MM COLLECTION



SOMANY
DURAGRES



VALOR KALIDA WOOD BROWN
Rotto Finish, 600x600mm




VALOR REAL WOOD MAHOGANY
Rotto Finish, 600x600mm



VALOR REAL WOOD PINE
Rotto Finish, 600x600mm



VALOR REAL WOOD TEAK
Rotto Finish, 600x600mm



VALOR SEUL BEIGE
Rotto Finish, 600x600mm




VALOR SEUL BROWN
Rotto Finish, 600x600mm



DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



V1 Uniform Appearance **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation **V2** Random Variation **V3** Slight Variation **V4** Substantial Variation



High Definition Image


While laying the tiles please follow the arrow on the back of the tiles.
For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder




VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze composition', known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Patent Certificate for
"High Abrasion Resistant Glaze"
applied on VC Shield Tiles



PACKAGING DETAIL FOR 600x600MM FLOOR TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x600MM	9.0 mm	28.5 Kg.	4 Pcs	1.44 Sq.mt / 15.50 Sq.ft

TECHNICAL SPECIFICATIONS FOR 600x600MM FLOOR TILES				
Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08% Group B 1 a	Requirements as per ISO 13006 ≤ 0.5% Group B1a	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	±0.10%	±0.5%	±0.10%	IS 13630 Part 1/ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.10%	±0.50%	±0.10%	
iv) Rectangularity	±0.10%	±0.60%	±0.10%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.1 %	
b) Edge curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.1 %	
c) Corner warpage (%) (max.Deviation)	± 0.50 %	± 0.50 %	± 0.1 %	
vi) Surface Quality	>95 % free from visible defects	>95 % free from visible defects	>95 % free from visible defects	
B) Physical Properties				
i) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Av E ≤ 0.08 %	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture [N/mm²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg. 40	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min 1500	
iv) Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	Min-6 (For VC), Min-5 (For Rustic), Min-3 (For Polished)	IS 13630 Part 13
vi) Surface Abrasion Resistance	Min II	Abrasion Class & Cycle passed	Class V (for VC), Class IV (for Rustic), Class III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹	Test method available	Max. 6 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test method available	10 cycle Passed	IS 13630 Part 5/ISO-10545-9
ix) Craziing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution	0.55 min	Required	0.75-0.90	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class-1	Min Class-3	Min Class-1 (For Matt), Class-2 (For polished)	IS 13630 Part 8 & ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ^r	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.